

Gooch & Housego



PM Fibre-Q

Polarisation Maintaining 1060nm Fibre-Coupled Acousto-Optic Modulator

T-M260-0.1C2G-3-F2P

Gooch & Housego specialise in providing optical components for high power fibre laser and amplifier systems. In-house control of critical manufacturing processes, from crystalline material selection and orientation, cutting, polishing and AR coating through to fibre coupling, ensure our components are of the highest optical quality.

The 'Fibre-Q' Acousto-Optic Modulator is designed for use in pulsed fibre laser amplifier systems and as a pulse picker for short pulse, high rep rate fibre lasers.

In addition to the standard product shown, custom configurations are available for specialised applications.

Keν	/ Fe	atu	res
		utu	

- Low insertion loss
- ☐ Compact, low profile package
- □ Rugged hermetic design
- Stable performance
- Custom configurations available


Applications:

- ☐ Fibre laser
- Pulse picker
- Optical sensing

General Specifications

Parameter	Unit	Min	Max	Typical	Comments
Interaction material:	-	-	-	-	Tellurium Dioxide
Wavelength:	nm	-	-	1060	
Average optical power handling:	W	-	1	-	
Peak (pulse) optical power handling:	kW	-	1	-	Dependent on pulse width
Insertion loss:	dB	-	7.5	-	
Polarisation Extinction ratio	dB	18	-	-	
Extinction ratio (1st order on / off)	dB	50	-	-	
Return Loss (RF ON / RF OFF)	dB	40	-	-	
Rise-time / fall-time: (10% - 90%)	ns	-	6	-	
Frequency:	MHz	-	-	260	
VSWR:		-	1.5:1	-	
Input impedance:	Ω	-	-	50	
RF power:	W	-	1	-	Absolute maximum rating. Higher power will cause damage.
Frequency shift:	MHz	-	-	260	Upshift
Fibre type:	-	-	-	-	Fujikura PM980 (SM98-PS- U25A)
Fibre length	m	1.5	-	-	900μm PVDF sleeving
Fibre termination:	-	-	-	-	Bare fibre

Contact: Sales@goochandhousego.com www.goochandhousego.com PEC 0172 Issue 1 G&H Ref: 30177260



Other Gooch & Housego products which may be of interest:

Our extensive range of components for fibre laser applications includes:

- Isolators
- High power multimode combiners
- Combiners with all types of signal feedthrough fibre
- Ultra low ratio tap couplers
- WDMs for combining signals with red pointer lasers

Please send your specifications to sales@goochandhousego.com or contact your local sales representative to discuss your requirements.